

## UNITED STATES PATENT AND TRADEMARK OFFICE

F

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

Α	PPLICATION NO	Э.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
	10/626,134		07/25/2003	Michael J. Curtis	119-P-03	9376	
	40801	7590	04/13/2005		EXAM	EXAMINER	
	NICHOLAS A. BRANNEN 104 SOUTH MAIN STREET, SUITE 300				WILLSE, I	WILLSE, DAVID H	
		J LAC, W	-		ART UNIT	PAPER NUMBER	
		•			3738	3738	

DATE MAILED: 04/13/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		mr_					
	Application No.	Applicant(s)	, , _					
	10/626,134	CURTIS, MICHAEL J.						
Office Action Summary	Examiner	Art Unit						
	Dave Willse	3738						
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the	correspondence addres	s					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).								
Status								
1)⊠ Responsive to communication(s) filed on <u>18 Ja</u>	anuary 2005.							
,	action is non-final.							
3) Since this application is in condition for allowar								
closed in accordance with the practice under E	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims								
4) Claim(s) <u>1-3,5,7-21 and 23-27</u> is/are pending i	Claim(s) <u>1-3,5,7-21 and 23-27</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdraw								
5) Claim(s) is/are allowed.								
6) Claim(s) is/are rejected.								
7) Claim(s) is/are objected to.	· · · · · · · · · · · · · · · · · · ·							
8) Claim(s) 1-3,5,7-21 and 23-27 are subject to restriction and/or election requirement.								
Application Papers								
9)☐ The specification is objected to by the Examiner.								
10)☐ The drawing(s) filed on is/are: a)☐ acc	☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
Applicant may not request that any objection to the	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
· · · · · · · · · · · · · · · · · · ·	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)☐ The oath or declaration is objected to by the Ex	) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119								
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>								
AM-2-1-2-4(2)								
Attachment(s)  1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summar	v (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail D	Date						
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	5)  Notice of Informal 6)  Other:	Patent Application (PTO-152	·)					

Application/Control Number: 10/626,134

Art Unit: 3738

Restriction to one of the following inventions is required under 35 U.S.C. 121:

 Claims 1-3, 5, 7-16, and 27, drawn to an angling coupler, classified in class 403, subclass 87.

- II. Claims 17-20, 25, and 26, drawn to a combination involving a pylon and a pyramidal adapter, classified in class 623, subclass 38.
- III. Claims 21, 23, and 24, drawn to a method of assembling a prosthetic limb, classified in class 623, subclass 38.

(Note: Claims 5, 7, and 8 depend from canceled claims, but it is assumed that these claims are directed to an angling coupler in view of the respective preambles.)

Inventions II and I are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the particulars of the subcombination as claimed because (as seen from the Applicant's extensive revisions to the formerly broadest angling coupler claim 1 but not to the broadest combination claim 17) the combination as claimed does not require the concave and convex surfaces, the slot, and so on. The subcombination has separate utility such as with arm prostheses not having a pylon or a pyramidal adaptor or can be used as a general purpose adjustable connector.

Inventions (I or II) and III are related as product and process of use. The inventions can be shown to be distinct if either or both of the following can be shown: (1) the process for using the product as claimed can be practiced with another materially different product or (2) the

Application/Control Number: 10/626,134 Page 3

Art Unit: 3738

product as claimed can be used in a materially different process of using that product (MPEP § 806.05(h)). In the instant case, the product as claimed can be used in a materially different process such as one in which the fastener is not concealed.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification and/or divergent required searches, restriction for examination purposes as indicated is proper.

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Shortly after the previous Office action was mailed on October 15, 2004, the examiner received a copy of a translation of FR 2 708 848 A1, and a copy is attached to the instant Office action. Because of this, the shortened statutory period for reply is hereby set to expire three months (rather than one month) from the mailing date of this communication.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dave Willse whose telephone number is (571) 272-4762. The examiner can normally be reached Monday through Thursday and often on Friday. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott, can be reached at (571) 272-4754. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Primary Examiner
Art Unit 3738